Sourcewell Member Rehlko Discounts

Category	Discount off configured list price
Industrial Gas Generators	30%
Industrial Diesel Generators	30%
Industrial ATS	30%
All Services	5%

Industrial Generators

Model/Part Number	Short Description	Type	HZ	Phase	Fuel Type	EPA Cert	Cooling	Sourcewell Discount (off configured list price)
25CCL	25 kW Genset NG/LPG	Gas	60	1 Phase or 3 Phase	LP/NG	New Source Performance Standard (NSPS) Certified	Liquid-Cooled	30%
30CCL	30 kW Genset NG/LPG	Gas	60	1 Phase or 3 Phase	LP/NG	New Source Performance Standard (NSPS) Certified	Liquid-Cooled	30%
36CCL	36 kW Genset NG/LPG	Gas	60	1 Phase or 3 Phase	LP/NG	New Source Performance Standard (NSPS) Certified	Liquid-Cooled	30%
KG25	25kW Genset NG/LPG	Gas	60	1 Phase or 3 Phase	LP/NG	EPA-Certified for Stationary Emergency Applications (60Hz Only)	Liquid Cooled	30%
KG30	30kW Genset NG/LPG	Gas	60	1 Phase or 3 Phase	LP/NG	EPA-Certified for Stationary Emergency Applications (60Hz Only)	Liquid-Cooled	30%
KG40-B	40 kW Genset NG/LPG	Gas	60	1 Phase or 3 Phase	LP/NG	EPA-Certified for Stationary Emergency Applications (60Hz Only)	Liquid-Cooled	30%
KG50-A	50 kW Genset NG/LPG	Gas	60	1 Phase or 3 Phase	LP/NG	EPA-Certified for Stationary Emergency Applications (60Hz Only)	Liquid-Cooled	30%
KG60-A	60 kW Genset NG/LPG	Gas	60	1 Phase or 3 Phase	LP/NG	EPA-Certified for Stationary Emergency Applications (60Hz Only)	Liquid-Cooled	30%
KG80	80 kW Genset NG/LPG	Gas	60	1 Phase or 3 Phase	LP/NG	EPA-Certified for Stationary Emergency Applications (60Hz Only)	Liquid-Cooled	30%
KG100	100 kW Genset NG/LPG	Gas	60	1 Phase or 3 Phase	LP/NG	EPA-Certified for Stationary Emergency Applications (60Hz Only)	Liquid-Cooled	30%
KG125	125 kW Genset NG/LPG	Gas	60	1 Phase or 3 Phase	LP/NG	EPA-Certified for Stationary Emergency Applications (60Hz Only)	Liquid-Cooled	30%
KG150	150 kW Genset NG/LPG	Gas	60	1 Phase or 3 Phase	LP/NG	EPA-Certified for Stationary Emergency Applications (50Hz & 60Hz)	Liquid-Cooled	30%
KG180	180 kW Genset NG/LPG	Gas	60	1 Phase or 3 Phase	LP/NG	EPA-Certified for Stationary Emergency Applications (50Hz & 60Hz)	Liquid-Cooled	30%
KG200	200 kW Genset NG/LPG	Gas	60	1 Phase or 3 Phase	LP/NG	EPA-Certified for Stationary Emergency Applications (50Hz & 60Hz)	Liquid-Cooled	30%
250REZXB	250 kW Genset NG/LPG	Gas	60	1 Phase or 3 Phase	Rich-Burn LP/NG	EPA-Certified for Stationary & Mobile Emergency & Non-Emergency Applications	Liquid-Cooled	30%
300REZXC	300 kW Natural Gas Genset	Gas	60	1 Phase or 3 Phase	Rich-Burn NG	EPA-Certified for Stationary Emergency Applications	Liquid-Cooled	30%
300REZXD	300 kW Genset NG/LPG	Gas	60	3 Phase	Rich-Burn LP/NG	EPA-Certified for Stationary & Mobile Emergency & Non-Emergency Applications	Liquid-Cooled	30%

350REZXD	350 kW Genset NG/LPG	Gas	60	3 Phase	Rich-Burn LP/NG	EPA-Certified for Stationary & Mobile Emergency & Non-Emergency Applications	Liquid-Cooled	30%
400REZXD	400 kW Genset NG/LPG	Gas	60	3 Phase	Rich-Burn LP/NG	EPA-Certified for Stationary & Mobile Emergency & Non-Emergency Applications	Liquid-Cooled	30%
450REZXD	450 kW Genset NG/LPG	Gas	60	3 Phase	Rich-Burn LP/NG	EPA-Certified for Stationary Emergency Applications	Liquid-Cooled	30%
500REZXD	500 kW Genset NG/LPG	Gas	60	3 Phase	Rich-Burn LP/NG	EPA-Certified for Stationary Emergency Applications	Liquid-Cooled	30%
15REOZK	15 kW Diesel Genset	Diesel	60	1 Phase or 3 Phase	#2 Diesel / HVO / RD	EPA-Certified for Stationary Emergency Applications	Liquid-Cooled	30%
20REOZK	20 kW Diesel Genset	Diesel	60	1 Phase or 3 Phase	#2 Diesel / HVO / RD	EPA-Certified for Stationary Emergency Applications	Liquid-Cooled	30%
30REOZK	30 kW Diesel Genset	Diesel	60	1 Phase or 3 Phase	#2 Diesel / HVO / RD	EPA-Certified for Stationary Emergency Applications	Liquid-Cooled	30%
40REOZK	40 kW Diesel Genset	Diesel	60	1 Phase or 3 Phase	#2 Diesel / HVO / RD	EPA-Certified for Stationary Emergency Applications	Liquid-Cooled	30%
50REOZK	50 kW Diesel Genset	Diesel	60	1 Phase or 3 Phase	#2 Diesel / HVO / RD	EPA-Certified for Stationary Emergency Applications	Liquid-Cooled	30%
60REOZK	60 kW Diesel Genset	Diesel	60	1 Phase or 3 Phase	#2 Diesel / HVO / RD	EPA-Certified for Stationary Emergency Applications	Liquid-Cooled	30%
KD80	80kW Diesel Genset	Diesel	60	1 Phase or 3 Phase	#2 Diesel / HVO / RD	EPA-Certified for Stationary Emergency Applications	Liquid-Cooled	30%
KD100	100kW Diesel Genset	Diesel	60	1 Phase or 3 Phase	#2 Diesel / HVO / RD	EPA-Certified for Stationary Emergency Applications	Liquid-Cooled	30%
KD130	130kW Diesel Genset	Diesel	60	1 Phase or 3 Phase	#2 Diesel / HVO / RD	EPA-Certified for Stationary Emergency Applications	Liquid-Cooled	30%
KD150	150kW Diesel Genset	Diesel	60	1 Phase or 3 Phase	#2 Diesel / HVO / RD	EPA-Certified for Stationary Emergency Applications	Liquid-Cooled	30%
KD180	180kW Diesel Genset	Diesel	60	1 Phase or 3 Phase	#2 Diesel / HVO / RD	EPA-Certified for Stationary Emergency Applications	Liquid-Cooled	30%
KD200	200kW Diesel Genset	Diesel	60	1 Phase or 3 Phase	#2 Diesel / HVO / RD	EPA-Certified for Stationary Emergency Applications	Liquid-Cooled	30%
KD230	230kW Diesel Genset	Diesel	60	1 Phase or 3 Phase	#2 Diesel / HVO / RD	EPA-Certified for Stationary Emergency Applicatinos	Liquid-Cooled	30%
KD250	250kW Diesel Genset	Diesel	60	1 Phase or 3 Phase	#2 Diesel / HVO / RD	EPA-Certified for Stationary Emergency Applications	Liquid-Cooled	30%
KD275	275kW Diesel Genset	Diesel	60	1 Phase or 3 Phase	#2 Diesel / HVO / RD	EPA-Certified for Stationary Emergency Applications	Liquid-Cooled	30%
KD300	300kW Diesel Genset	Diesel	60	1 Phase or 3 Phase	#2 Diesel / HVO / RD	EPA-Certified for Stationary Emergency Applications	Liquid-Cooled	30%
30REOZK4	30 kW EPA Tier 4 Diesel Genset	Diesel	60	1 Phase or 3 Phase	ASTM D975 or EN 590 ULSD / HVO / RD	Tier 4 Final EPA Certified for Stationary Emergency & Non-Emergency Applications	Liquid-Cooled	30%
40REOZK4	40 kW EPA Tier 4 Diesel Genset	Diesel	60	1 Phase or 3 Phase	ASTM D975 or EN 590 ULSD / HVO / RD	Tier 4 Final EPA Certified for Stationary Emergency & Non-Emergency Applications	Liquid-Cooled	30%
48REOZK4	48 kW EPA Tier 4 Diesel Genset	Diesel	60	1 Phase or 3 Phase	ASTM D975 or EN 590 ULSD / HVO / RD	Tier 4 Final EPA Certified for Stationary Emergency & Non-Emergency Applications	Liquid-Cooled	30%
90REOZT4	90kVA EPA Tier 4 Portable Diesel Genset (Trailer Mounted)	Diesel	60	1 Phase or 3 Phase	ASTM D975 or EN 590 ULSD / HVO / RD	Tier 4 Final EPA Certified for Stationary Emergency & Non-Emergency Applications	Liquid-Cooled	30%
120REOZT4	120kVA EPA Tier 4 Portable Diesel Genset (Trailer Mounted)	Diesel	60	1 Phase or 3 Phase	ASTM D975 or EN 590 ULSD / HVO / RD	Tier 4 Final EPA Certified for Stationary Emergency & Non-Emergency Applications	Liquid-Cooled	30%
145REOZT4	145kVA EPA Tier 4 Portable Diesel Genset (Trailer Mounted)	Diesel	60	1 Phase or 3 Phase	ASTM D975 or EN 590 ULSD / HVO / RD	Tier 4 Final EPA Certified for Stationary Emergency & Non-Emergency Applications	Liquid-Cooled	30%
175REOZT4	175kVA EPA Tier 4 Porable Diesel Genset (Trailer Mounted)	Diesel	60	1 Phase or 3 Phase	ASTM D975 or EN 590 ULSD / HVO / RD	Tier 4 Final EPA Certified for Stationary Emergency & Non-Emergency Applications	Liquid-Cooled	30%

Industrial Generators

Model/Part Number	Short Description	Type	HZ	Phase	Fuel Type	EPA Cert	Cooling	Sourcewell Discount (off configured list price)
100REOZJ4	100 kW EPA Tier 4 Diesel Genset	Diesel	60	1 Phase or 3 Phase	ASTM D975 or EN 590 ULSD / HVO / RD	Tier 4 Final EPA Certified for Stationary Emergency & Non-Emergency Applications	Liquid-Cooled	30%
125REOZJ4	125 kW EPA Tier 4 Diesel Genset	Diesel	60	1 Phase or 3 Phase	ASTM D975 or EN 590 ULSD / HVO / RD	Tier 4 Final EPA Certified for Stationary Emergency & Non-Emergency Applications	Liquid-Cooled	30%
150REOZJ4	150 kW EPA Tier 4 Diesel Genset	Diesel	60	1 Phase or 3 Phase	ASTM D975 or EN 590 ULSD / HVO / RD	Tier 4 Final EPA Certified for Stationary Emergency & Non-Emergency Applications	Liquid-Cooled	30%
350REOZJC	350kW Diesel Genset	Diesel	60	1 Phase or 3 Phase	#2 Diesel / HVO / RD	Tier 3 EPA-Certified for Stationary Emergency Applications	Liquid-Cooled	30%
350REOZJD	350 kW Diesel Genset	Diesel	60	1 Phase or 3 Phase	#2 Diesel / HVO / RD	Tier 3 EPA-Certified for Stationary Emergency Applications	Liquid-Cooled	30%
400REOZJC	400 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel / HVO / RD	Tier 3 EPA-Certified for Stationary Emergency Applications	Liquid-Cooled	30%
400REOZJD	400 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel / HVO / RD	Tier 3 EPA-Certified for Stationary Emergency Applications	Liquid-Cooled	30%
500REOZJC	500 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel / HVO / RD	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%
500REOZVC	500 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel / HVO / RD	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%
550REOZVB	550 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel / HVO / RD	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%
600REOZVB	600 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%
KD700	700 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel / HVO / RD	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%

KD750	750 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel / HVO / RD	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%
KD800	800 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel ULSD / HVO / RD	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%
KD900	900 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel ULSD / HVO / RD	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%
KD1000	1000 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel ULSD / HVO / RD	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%
1250REOZMD	1250 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel / HVO / RD	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%
KD1250-A	50Hz, 1250 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel ULSD / HVO / RD	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%

Industrial Generators

Model/Part Number	Short Description	Type	HZ	Phase	Fuel Type	EPA Cert	Cooling	Sourcewell Discount (off configured list price)
KD1350	1350 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel ULSD / HVO / RD	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%
KD1500	1500 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel ULSD / HVO / RD	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%
1600REOZMD	1600 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel / HVO / RD	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%
KD1600	1600 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel ULSD / HVO / RD	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%
1750REOZMD	1750 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel / HVO / RD	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%
KD1750	1750 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel ULSD / HVO / RD	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%
2000REOZMD	2000 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel / HVO / RD	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%
KD2000-A	2000 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel ULSD / HVO / RD	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%
KD2250-A	2250 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel ULSD / HVO / RD	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%
KD2500-A	2500 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel ULSD / HVO / RD	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%
KD2800-A	2800 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel ULSD / HVO / RD	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%
KD3000-A	3000 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel ULSD / HVO / RD	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%
KD3250-A	3250 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel ULSD / HVO / RD	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%
KD3500	3500 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel ULSD / HVO / RD	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%
KD4000	4000 kW Diesel Genset	Diesel	60	3 Phase	#2 Diesel ULSD / HVO / RD	Tier 2 EPA-Certified for Emergency Stationary Applications	Liquid-Cooled	30%

Industrial ATS

Type	Description	AMPS	Sourcewell Discount (off configured list price)
Standard	KSS Series Rated Standard Transition 40-1200 Amps	40-1200	30%
Standard	KCS Any Breaker Rated Standard Transition 30-4000 Amps	30-4000	30%
Standard	KCP Any Breaker Rated Programmed Transition 150-4000 Amps	150-4000	30%
Standard	KCC Any Breaker Rated Closed Transition 100-4000 Amps	100-4000	30%
Bypass	KBS Bypass Isolation Standard Transition 100-4000 Amps	100-4000	30%
Bypass	KBP Bypass Isolation Programmed Transition 100-4000 Amps	100-4000	30%
Bypass	KBC Bypass Isolation Closed Transition 100-4000 Amps	100-4000	30%
Bypass	KAS Bypass Isolation Standard Transition 100-3000 Amps	100-3000	30%
Bypass	KAP Bypass Isolation Programmed Transition 100-3000 Amps	100-3000	30%
Service	KUS Service Entrance Standard Transition 30-4000 Amps	30-4000	30%
Service	KUP Service Entrance Programmed Transition 150-4000 Amps	150-4000	30%

Services Category	Sourcewell Discount
Freight	**5%**

Startup	5%
Training	5%
Rental Rates	5%
Used Rehlko Equipment	5%
Rehlko Parts	5%
Custom Tanks & Enclosures	5%
ATS Customization	5%
Prevantative Maintenance Agreements/Service (all brands)	5%
Installation by contractors (turn-key)	5%
Design and customization	5%
Engineering	5%
Commissioning	5%
Decommissioning and repurposing	5%
Repairs	5%