



**COMMENT AND REVIEW**  
to the  
Invitation for Bids (IFB) on  
Indefinite Delivery Indefinite Quantity Construction Contracts  
**CA-123021 – State of California**

**IFB**

Sourcewell issued the Invitation for Bids (IFB) on behalf of, and to provide Indefinite Delivery Indefinite Quantity Construction Contracts (IDIQ) to, all current and potential Sourcewell Participating Entities (including all government agencies, education agencies to include colleges and universities, and non-profit agencies), within the state of California, as identified in the attached map of the regions. Sourcewell included multiple solicitations within the IFB with the intention of awarding multiple contracts in the state of California.

**Advertisement**

The IFB was advertised in the Alameda Times-Star, Bakersfield Californian, Contra Costa Times, Fresno Bee, Imperial Valley Press, Los Angeles Times, Monterey Herald, Napa Valley Register, Orange County Register, Press Democrat, Press-Enterprise, Redding Record Searchlight, Sacramento Bee, San Bernardino County Sun, San Diego Business Journal, San Diego Union Tribune, San Francisco Chronical, San Jose Mercury News, Santa Barbara News-Press, Santa Cruz Sentinel, Tribune (San Luis Obispo), Ventura County Star and Visalia Times-Delta on November 22, 2021 and November 29, 2021. It was advertised in the Appeal-Democrat, Eureka Times-Standard and Inyo Register on November 23, 2021, and November 30, 2021, in the Desert Sun on November 24, 2021, and December 1, 2021, and in the Hollister Free Lance and Placer Herald on November 26, 2021, and December 3, 2021. It was sent to the following Construction Bid Boards: Associated General Contractors of America San Diego Chapter, BidAmerica, Builders' Exchange of Merced & Mariposa, Builders' Exchange of Santa Clara, Builders' Exchange of Stockton, Builders Notebook, Central Coast Builders Association, Construction Bid Board, Dodge Data, Dern County Builders' Exchange, Marin Builders Association, Nevada County Contracts' Association, North Coast Builders Exchange, Placer County Contractors Association, Shasta Builders, and posted to the Sourcewell website and the Sourcewell Procurement Portal for daily viewing and document download/response from November 22, 2021 until the scheduled due date and time.

**Bid Registrants**

The solicitation process was conducted through the Sourcewell Procurement Portal. The following parties expressed interest in the solicitation by registering for this opportunity within the portal:

A & N Quality Builders  
ABM Electrical and Lighting Solutions Inc.

Horizons Construction Company Int'l Inc.  
J & H Engineering General Contractors Inc.

ABM Industries Inc.  
 ACCO Engineered Systems Inc  
 AEA Sports Surfacing LLC  
 All Source Coatings Inc.  
 AMERICAN CHILLER SERVICE INC.

American Technologies Inc.  
 Angeles Contractor Inc.  
 Ausonio Inc.  
 BECTON DICKINSON AND COMPANY  
 Bitech Construction Co. Inc.  
 C & J Painting  
 California Coast Carpet & Flooring  
 Centennial Contractors Enterprises  
 Dalke & Sons Construction Inc.  
 Durham Construction Company inc.  
 Exbon Development Inc.  
 Express Energy Services Inc.  
 Facility Solutions Group

Fisher Development Inc.  
 GeoStabilization International LLC  
 Good-Men Inc (Good-Men Roofing & Construction Inc.)  
 Good-Men Roofing & Construction Inc.  
 Grondin Construction Inc  
 Harry H. Joh Construction Inc.

Lead Builders Inc.  
 Mackone Development Inc  
 Mark Scott Construction Inc.  
 MDJ Management LLC  
 Mesa Energy Systems Inc.  
 Mesa Energy Systems Inc. dba EMCOR  
 Services  
 MIK Construction Inc.  
 Morooka USA LLC  
 Native Consolidated Management LLC  
 Newton Construction & Management Inc  
 North Star Construction and Engineering Inc.  
 Oscalibur Plumbing Inc.  
 Pacific Building group  
 Pacific Lighting Mgt Inc  
 PRIDE Industries  
 PUB Construction Inc.  
 SAN FRANCISCO BUILDERS EXCHANGE  
 Staples Construction  
 T&S Intermodal Maintenance Inc. DBA T&S  
 West  
 Turf Nation Inc.  
 Vincor Construction Inc.  
 Weiser Painting  
 William A Thayer Construction Inc.

#### **Pre-bid meeting:**

A pre-bid webinar was conducted and broadcasted on December 08, 2021, beginning at 11:00 am CT. A link to the on-demand recording as well as the presentation slides were subsequently made available to all registered plan takers.

#### **Bids**

All Bids remained sealed within the Sourcewell Procurement Portal until the scheduled due date and time. Bids were electronically opened, and the list of all Bidders was made publicly available on the Sourcewell Procurement Portal, on December 30, 2021, at 4:31:46 pm CT. Bids were received from the following:

ABM Industries, Inc.  
 ACCO Engineered Systems, Inc  
 All Source Coatings, Inc.  
 Angeles Contractor, Inc.  
 Ausonio, Inc.

Horizons Construction Company Int'l, Inc.  
 J & H Engineering General Contractors, Inc.  
 Mackone Development, Inc  
 Mark Scott Construction, Inc.  
 MDJ Management, LLC

Bitech Construction Co., Inc.  
California Coast Carpet & Flooring

Durham Construction Company, Inc.

Exbon Development, Inc.

Express Energy Services, Inc.

Facility Solutions Group

GeoStabilization International, LLC

Good-Men, Inc. (Good-Men Roofing & Construction, Inc.)

Good-Men Roofing & Construction, Inc.

Grondin Construction, Inc.

Harry H. Joh Construction Inc.

Mesa Energy Systems, Inc. dba EMCOR  
Services

Newton Construction & Management, Inc  
North Star Construction and Engineering,  
Inc.

Oscalibur Plumbing, Inc.

Pacific Building group

Pacific Lighting Mgt, Inc

PUB Construction, Inc.

Staples Construction

T&S Intermodal Maintenance, Inc. DBA T&S  
West

Vincor Construction, Inc.

### **Bid Evaluation Method**

The bidders submitted five adjustment factors for each contract opportunity within the region to the fixed prices in the Construction Task Catalog. The submitted bid adjustment factors were weighted as more fully described in the IFB to determine a single combined adjustment factor. This combined adjustment factor was then used in determining the ranking of the bids.

**\*\*\* The remainder of this page has been intentionally left blank\*\*\***

Contractor Name	Solicitation Trade/ Solicitation Number	Awarded Contract Number	Region	Adjustment Factor Descriptions	Adjustment Factors
<b>Staples Construction</b>	General Building CA-R1-GB01-123021	<b>CA-R1-GB01-123021-STA</b>	Region 1	Normal Working Hours - Prevailing Wage Rate Projects	1.6998
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.7498
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.7498
				All-Union Wage Projects	1.7498
				Non-Pre-Priced	1.3998
				<b>Combined Adjustment Factor</b>	<b>1.6898</b>
<b>No Award</b>	General Building CA-R1-GB02-123021	<b>No Award</b>	Region 1		
				Adjustment Factors	N/A
<b>No Award</b>	Electrical CA-R1-E01-123021	<b>No Award</b>	Region 1		
				Adjustment Factors	N/A
<b>No Award</b>	Electrical CA-R1-E02-123021	<b>No Award</b>	Region 1		
				Adjustment Factors	N/A
<b>No Bids</b>	Paving CA-R1-PAV01-123021	<b>No Bids</b>	Region 1		
				Adjustment Factors	N/A
<b>No Bids</b>	Paving CA-R1-PAV02-123021	<b>No Bids</b>	Region 1		
				Adjustment Factors	N/A
<b>Mesa Energy Systems, Inc. dba EMCOR Services</b>	HVAC/Mechanical CA-R1-HVAC01-123021	<b>CA-R1-HVAC01-123021-ES</b>	Region 1	Normal Working Hours - Prevailing Wage Rate Projects	2.1000
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	2.4500
				Secured/Medical Facilities - Prevailing Wage Rate Projects	2.4500
				All-Union Wage Projects	2.4500
				Non-Pre-Priced	2.1000
				Normal Working Hours - Prevailing Wage Rate Projects	2.1000
<b>No Award</b>	HVAC/Mechanical CA-R1-HVAC02-123021	<b>No Award</b>	Region 1		
				Adjustment Factors	N/A
<b>No Award</b>	General Building CA-R2-GB01-123021	<b>No Award</b>	Region 2		
				Adjustment Factors	N/A
<b>No Award</b>	General Building CA-R2-GB02-123021	<b>No Award</b>	Region 2		
				Adjustment Factors	N/A

No Award	Electrical CA-R2-E01-123021	No Award	Region 2		
				Adjustment Factors	N/A
No Award	Electrical CA-R2-E02-123021	No Award	Region 2		
				Adjustment Factors	N/A
No Bids	Paving CA-R2-PAV01-123021	No Bids	Region 2		
				Adjustment Factors	N/A
No Bids	Paving CA-R2-PAV02-123021	No Bids	Region 2		
				Adjustment Factors	N/A
ACCO Engineered Systems, Inc	HVAC/Mechanical CA-R2-HVAC01-123021	CA-R2-HVAC01-123021-AES	Region 2	Normal Working Hours - Prevailing Wage Rate Projects	1.4000
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.6000
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.6000
				All-Union Wage Projects	1.4000
				Non-Pre-Priced	1.1500
				<b>Combined Adjustment Factor</b>	<b>1.4350</b>
No Award	HVAC/Mechanical CA-R2-HVAC02-123021	No Award	Region 2		
				Adjustment Factors	N/A
T&S Intermodal Maintenance, Inc. DBA T&S West	General Building CA-R3-GB01-123021	CA-R3-GB01-123021-TSW	Region 3	Normal Working Hours - Prevailing Wage Rate Projects	1.2600
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2900
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.3100
				All-Union Wage Projects	1.2600
				Non-Pre-Priced	1.2600
				<b>Combined Adjustment Factor</b>	<b>1.2720</b>
North Star Construction and Engineering, Inc.	General Building CA-R3-GB02-123021	CA-R3-GB02-123021-NSC	Region 3	Normal Working Hours - Prevailing Wage Rate Projects	1.3600
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.4100
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.3900
				All-Union Wage Projects	1.3900
				Non-Pre-Priced	1.2700
				<b>Combined Adjustment Factor</b>	<b>1.3660</b>
T&S Intermodal Maintenance, Inc. DBA T&S West	Electrical CA-R3-E01-123021	CA-R3-E01-123021-TSW	Region 3	Normal Working Hours - Prevailing Wage Rate Projects	1.2100
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2400
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.2600

Sourcewell

Page 6 of 30

				All-Union Wage Projects	1.2100
				Non-Pre-Priced	1.2100
				<b>Combined Adjustment Factor</b>	<b>1.2220</b>
ABM Industries Inc.	Electrical CA-R3-E02-123021	CA-R3-E02-123021-ABM	Region 3	Normal Working Hours - Prevailing Wage Rate Projects	0.9656
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.0134
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.0616
				All-Union Wage Projects	0.9656
				Non-Pre-Priced	1.1676
				<b>Combined Adjustment Factor</b>	<b>1.0074</b>
T&S Intermodal Maintenance, Inc. DBA T&S West	Paving CA-R3-PAV01-123021	CA-R3-PAV01-123021-TSW	Region 3	Normal Working Hours - Prevailing Wage Rate Projects	1.2600
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2900
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.3100
				All-Union Wage Projects	1.2600
				Non-Pre-Priced	1.2600
				<b>Combined Adjustment Factor</b>	<b>1.2720</b>
North Star Construction and Engineering, Inc.	Paving CA-R3-PAV02-123021	CA-R3-PAV02-123021-NSC	Region 3	Normal Working Hours - Prevailing Wage Rate Projects	1.3600
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.4100
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.3900
				All-Union Wage Projects	1.3900
				Non-Pre-Priced	1.2700
				<b>Combined Adjustment Factor</b>	<b>1.3660</b>
No Award	Paving CA-R3-PAV03-123021	No Award	Region 3		
				Adjustment Factors	N/A
No Award	Paving CA-R3-PAV04-123021	No Award	Region 3		
				Adjustment Factors	N/A
ABM Industries Inc.	HVAC/Mechanical CA-R3-HVAC01-123021	CA-R3-HVAC01-123021-ABM	Region 3	Normal Working Hours - Prevailing Wage Rate Projects	1.1792
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2873
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.3516
				All-Union Wage Projects	1.1792
				Non-Pre-Priced	1.1251
				<b>Combined Adjustment Factor</b>	<b>1.2159</b>

Sourcewell

Page 7 of 30

ACCO Engineered Systems, Inc	HVAC/Mechanical CA-R3-HVAC02-123021	CA-R3-HVAC02-123021-AES	Region 3	Normal Working Hours - Prevailing Wage Rate Projects	1.3000
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.4000
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.4000
				All-Union Wage Projects	1.4000
				Non-Pre-Priced	1.1500
				<b>Combined Adjustment Factor</b>	<b>1.3250</b>
North Star Construction and Engineering, Inc.	Geotechnical Stabilization CA-R3-GS02-123021	CA-R3-GS02-123021-NSC	Region 3	Normal Working Hours - Prevailing Wage Rate Projects	1.3600
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.4100
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.3900
				All-Union Wage Projects	1.3900
				Non-Pre-Priced	1.3900
				<b>Combined Adjustment Factor</b>	<b>1.2700</b>
No Award	Geotechnical Stabilization CA-R3-GS02-123021	No Award	Region 3		
				Adjustment Factors	N/A
Mark Scott Construction, Inc.	General Building CA-R4-GB01-123021	CA-R4-GB01-123021-MSC	Region 4	Normal Working Hours - Prevailing Wage Rate Projects	1.3750
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.4250
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.5500
				All-Union Wage Projects	1.7500
				Non-Pre-Priced	1.2750
				<b>Combined Adjustment Factor</b>	<b>1.4363</b>
No Award	General Building CA-R4-GB02-123021	No Award	Region 4		
				Adjustment Factors	N/A
No Award	General Building CA-R4-GB03-123021	No Award	Region 4		
				Adjustment Factors	N/A
No Award	General Building CA-R4-GB04-123021	No Award	Region 4		
				Adjustment Factors	N/A
No Award	General Building CA-R4-GB05-123021	No Award	Region 4		
				Adjustment Factors	N/A
No Award	General Building CA-R4-GB06-123021	No Award	Region 4		
				Adjustment Factors	N/A
No Award		No Award	Region 4		

Sourcewell

Page 8 of 30

	Electrical CA-R4-E01-123021			Adjustment Factors	N/A
No Award	Electrical CA-R4-E02-123021	No Award	Region 4		
				Adjustment Factors	N/A
No Award	Paving CA-R4-PAV01-123021	No Award	Region 4		
				Adjustment Factors	N/A
No Award	Paving CA-R4-PAV02-123021	No Award	Region 4		
				Adjustment Factors	N/A
ABM Industries Inc.	HVAC/Mechanical CA-R4-HVAC01-123021	CA-R4-HVAC01-123021- ABM	Region 4	Normal Working Hours - Prevailing Wage Rate Projects	1.1792
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2873
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.3516
				All-Union Wage Projects	1.1792
				Non-Pre-Priced	1.1251
				Combined Adjustment Factor	1.2159
No Award	HVAC/Mechanical CA-R4-HVAC02-123021	No Award	Region 4		
				Adjustment Factors	N/A
No Award	Geotechnical Stabilization CA-R4-GS01-123021	No Award	Region 4		
				Adjustment Factors	N/A
No Award	Geotechnical Stabilization CA-R4-GS02-123021	No Award	Region 4		
				Adjustment Factors	N/A
T&S Intermodal Maintenance, Inc. DBA T&S West	General Building CA-R5-GB01-123021	CA-R5-GB01-123021-TSW	Region 5	Normal Working Hours - Prevailing Wage Rate Projects	1.2600
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2900
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.3100
				All-Union Wage Projects	1.2600
				Non-Pre-Priced	1.2600
				Combined Adjustment Factor	1.2720
Newton Construction & Management Inc	General Building CA-R5-GB02-123021	CA-R5-GB02-123021-NCM	Region 5	Normal Working Hours - Prevailing Wage Rate Projects	1.1550
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2000
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.2000
				All-Union Wage Projects	1.2000
				Non-Pre-Priced	1.2200



Sourcewell

Page 9 of 30

				<b>Combined Adjustment Factor</b>	<b>1.1795</b>
<b>Durham Construction Company, Inc.</b>	General Building CA-R5-GB03-123021	<b>CA-R5-GB03-123021-DCC</b>	Region 5	Normal Working Hours - Prevailing Wage Rate Projects	1.2200
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2500
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.3000
				All-Union Wage Projects	1.1266
				Non-Pre-Priced	1.2200
				<b>Combined Adjustment Factor</b>	<b>1.2272</b>
<b>Mark Scott Construction, Inc.</b>	General Building CA-R5-GB04-123021	<b>CA-R5-GB04-123021-MS</b>	Region 5	Normal Working Hours - Prevailing Wage Rate Projects	1.4250
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.4750
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.6000
				All-Union Wage Projects	1.8500
				Non-Pre-Priced	1.2750
				<b>Combined Adjustment Factor</b>	<b>1.4863</b>
<b>T&amp;S Intermodal Maintenance, Inc. DBA T&amp;S West</b>	Electrical CA-R5-E01-123021	<b>CA-R5-E01-123021-TSW</b>	Region 5	Normal Working Hours - Prevailing Wage Rate Projects	1.2100
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2400
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.2600
				All-Union Wage Projects	1.2100
				Non-Pre-Priced	1.2100
				<b>Combined Adjustment Factor</b>	<b>1.2220</b>
<b>No Award</b>	Electrical CA-R5-E02-123021	<b>No Award</b>	Region 5		
				Adjustment Factors	N/A
<b>T&amp;S Intermodal Maintenance, Inc. DBA T&amp;S West</b>	Paving CA-R5-PAV01-123021	<b>CA-R5-PAV01-123021-TSW</b>	Region 5	Normal Working Hours - Prevailing Wage Rate Projects	1.2200
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2500
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.2700
				All-Union Wage Projects	1.2200
				Non-Pre-Priced	1.2200
				<b>Combined Adjustment Factor</b>	<b>1.2320</b>
<b>No Award</b>	Paving CA-R5-PAV02-123021	<b>No Award</b>	Region 5		
				Adjustment Factors	N/A
	HVAC/Mechanical CA-R5-HVAC01-123021	<b>CA-R5-HVAC01-123021-ES</b>	Region 5	Normal Working Hours - Prevailing Wage Rate Projects	1.2395
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.4591

<b>Mesa Energy Systems, Inc. dba EMCOR Services</b>				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.3387
				All-Union Wage Projects	1.2395
				Non-Pre-Priced	1.1970
				<b>Combined Adjustment Factor</b>	<b>1.2831</b>
<b>ABM Industries Inc.</b>	HVAC/Mechanical CA-R5-HVAC02-123021	<b>CA-R5-HVAC02-123021-ABM</b>	Region 5	Normal Working Hours - Prevailing Wage Rate Projects	1.1143
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2873
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.2873
				All-Union Wage Projects	1.1143
				Non-Pre-Priced	1.1251
				<b>Combined Adjustment Factor</b>	<b>1.1673</b>
<b>No Award</b>	Geotechnical Stabilization CA-R5-GS01-123021	<b>No Award</b>	Region 5		
<b>No Award</b>	Geotechnical Stabilization CA-R5-GS02-123021	<b>No Award</b>	Region 5	Adjustment Factors	N/A
<b>Newton Construction &amp; Management Inc</b>	General Building CA-R6-GB01-123021	<b>CA-R6-GB01-123021-NCM</b>	Region 6	Normal Working Hours - Prevailing Wage Rate Projects	1.1550
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2000
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.2000
				All-Union Wage Projects	1.2000
				Non-Pre-Priced	1.2200
				<b>Combined Adjustment Factor</b>	<b>1.1795</b>
<b>Angeles Contractor, Inc.</b>	General Building CA-R6-GB02-123021	<b>CA-R6-GB02-123021-ACI</b>	Region 6	Normal Working Hours - Prevailing Wage Rate Projects	1.4054
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.4162
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.5135
				All-Union Wage Projects	1.5243
				Non-Pre-Priced	1.2889
				<b>Combined Adjustment Factor</b>	<b>1.4235</b>
<b>ABM Industries Inc.</b>	Electrical CA-R6-E01-123021	<b>CA-R6-E01-123021-ABM</b>	Region 6	Normal Working Hours - Prevailing Wage Rate Projects	0.9656
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.0134
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.0616
				All-Union Wage Projects	0.9656
				Non-Pre-Priced	1.1676

Sourcewell

Page 11 of 30

				<b>Combined Adjustment Factor</b>	<b>1.0074</b>
<b>No Award</b>	Electrical CA-R6-E02-123021	<b>No Award</b>	Region 6	Adjustment Factors	N/A
<b>Angeles Contractor, Inc.</b>	Paving CA-R6-PAV01-123021	<b>CA-R6-PAV01-123021-ACI</b>	Region 6	Normal Working Hours - Prevailing Wage Rate Projects	1.4054
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.4162
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.5135
				All-Union Wage Projects	1.5243
				Non-Pre-Priced	1.2889
				<b>Combined Adjustment Factor</b>	<b>1.4235</b>
<b>No Award</b>	Paving CA-R6-PAV02-123021	<b>No Award</b>	Region 6	Adjustment Factors	N/A
<b>ABM Industries Inc.</b>	HVAC/Mechanical CA-R6-HVAC01-123021	<b>CA-R6-HVAC01-123021-ABM</b>	Region 6	Normal Working Hours - Prevailing Wage Rate Projects	1.1792
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2873
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.3516
				All-Union Wage Projects	1.1792
				Non-Pre-Priced	1.1251
				<b>Combined Adjustment Factor</b>	<b>1.2159</b>
<b>ACCO Engineered Systems, Inc</b>	HVAC/Mechanical CA-R6-HVAC02-123021	<b>CA-R6-HVAC02-123021-AES</b>	Region 6	Normal Working Hours - Prevailing Wage Rate Projects	1.3711
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.4711
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.4711
				All-Union Wage Projects	1.3711
				Non-Pre-Priced	1.1500
				<b>Combined Adjustment Factor</b>	<b>1.3790</b>
<b>No Award</b>	Geotechnical Stabilization CA-R6-GS01-123021	<b>No Award</b>	Region 6	Adjustment Factors	N/A
<b>No Award</b>	Geotechnical Stabilization CA-R6-GS02-123021	<b>No Award</b>	Region 6	Adjustment Factors	N/A
<b>Newton Construction &amp; Management Inc</b>	General Building CA-R7-GB01-123021	<b>CA-R7-GB01-123021-NCM</b>	Region 7	Normal Working Hours - Prevailing Wage Rate Projects	1.1550
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2000
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.2000
				All-Union Wage Projects	1.2000

Sourcewell

Page 12 of 30

				Non-Pre-Priced	1.2200
				<b>Combined Adjustment Factor</b>	<b>1.1795</b>
<b>No Award</b>	General Building CA-R7-GB02-123021	<b>No Award</b>	Region 7	Adjustment Factors	N/A
<b>No Award</b>	General Building CA-R7-GB03-123021	<b>No Award</b>	Region 7	Adjustment Factors	N/A
<b>No Award</b>	General Building CA-R7-GB04-123021	<b>No Award</b>	Region 7	Adjustment Factors	N/A
<b>No Award</b>	General Building CA-R7-GB05-123021	<b>No Award</b>	Region 7	Adjustment Factors	N/A
<b>MDJ Management, LLC</b>	General Building CA-R7-GB06-123021	<b>CA-R7-GB06-123021-MDJ</b>	Region 7	Normal Working Hours - Prevailing Wage Rate Projects	1.0545
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.1850
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.1850
				All-Union Wage Projects	1.0545
				Non-Pre-Priced	1.2250
				<b>Combined Adjustment Factor</b>	<b>1.1107</b>
<b>Newton Construction &amp; Management Inc</b>	Electrical CA-R7-E01-123021	<b>CA-R7-E01-123021-NCM</b>	Region 7	Normal Working Hours - Prevailing Wage Rate Projects	1.2300
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2300
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.2500
				All-Union Wage Projects	1.2500
				Non-Pre-Priced	1.2500
				<b>Combined Adjustment Factor</b>	<b>1.2370</b>
<b>No Award</b>	Electrical CA-R7-E02-123021	<b>No Award</b>	Region 7	Adjustment Factors	N/A
<b>Horizons Construction Company Int'l Inc.</b>	Paving CA-R7-PAV01-123021	<b>CA-R7-PAV01-123021-HCC</b>	Region 7	Normal Working Hours - Prevailing Wage Rate Projects	1.0170
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.0170
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.0170
				All-Union Wage Projects	1.0170
				Non-Pre-Priced	1.0170
				<b>Combined Adjustment Factor</b>	<b>1.0170</b>
		<b>CA-R7-PAV02-123021-JHE</b>	Region 7	Normal Working Hours - Prevailing Wage Rate Projects	1.2973

Sourcewell

Page 13 of 30

<b>J &amp; H Engineering General Contractors, Inc.</b>	Paving CA-R7-PAV02-123021			Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.3900
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.3000
				All-Union Wage Projects	1.2973
				Non-Pre-Priced	1.2500
				<b>Combined Adjustment Factor</b>	<b>1.3069</b>
<b>No Award</b>	Paving CA-R7-PAV03-123021	<b>No Award</b>	Region 7	Adjustment Factors	N/A
<b>No Award</b>	Paving CA-R7-PAV04-123021	<b>No Award</b>	Region 7	Adjustment Factors	N/A
<b>ACCO Engineered Systems, Inc</b>	HVAC/Mechanical CA-R7-HVAC01-123021	<b>CA-R7-HVAC01-123021-AES</b>	Region 7	Normal Working Hours - Prevailing Wage Rate Projects	1.2511
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.3511
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.3511
				All-Union Wage Projects	1.2511
				Non-Pre-Priced	1.1500
<b>Mesa Energy Systems, Inc. dba EMCOR Services</b>	HVAC/Mechanical CA-R7-HVAC02-123021	<b>CA-R7-HVAC02-123021-ES</b>	Region 7	<b>Combined Adjustment Factor</b>	<b>1.2710</b>
				Normal Working Hours - Prevailing Wage Rate Projects	1.4005
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.8209
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.5420
				All-Union Wage Projects	1.4005
<b>No Award</b>	Painting CA-R7-P01-123021	<b>No Award</b>	Region 7	Non-Pre-Priced	1.1970
				<b>Combined Adjustment Factor</b>	<b>1.4644</b>
				Adjustment Factors	N/A
				Adjustment Factors	N/A
				Adjustment Factors	N/A
<b>No Award</b>	Roofing/Waterproofing CA-R7-RW01-123021	<b>No Award</b>	Region 7	Adjustment Factors	N/A
				Adjustment Factors	N/A
				Adjustment Factors	N/A
				Adjustment Factors	N/A
				Adjustment Factors	N/A
<b>No Bids</b>	Athletic Surfacing CA-R7-AS01-123021	<b>No Bids</b>	Region 7	Adjustment Factors	N/A
				Adjustment Factors	N/A
				Adjustment Factors	N/A
				Adjustment Factors	N/A
				Adjustment Factors	N/A

Sourcewell

Page 14 of 30

<b>No Bids</b>	Athletic Surfacing CA-R7-AS02-123021	<b>No Bids</b>	Region 7		
				Adjustment Factors	N/A
<b>No Award</b>	Geotechnical Stabilization CA-R7-GS01-123021	<b>No Award</b>	Region 7		
				Adjustment Factors	N/A
<b>No Award</b>	Geotechnical Stabilization CA-R7-GS02-123021	<b>No Award</b>	Region 7		
				Adjustment Factors	N/A
<b>Horizons Construction Company Int'l Inc.</b>	General Building CA-R8-GB01-123021	<b>CA-R8-GB01-123021-HCC</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.0100
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.0100
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.0100
				All-Union Wage Projects	1.0100
				Non-Pre-Priced	1.0100
				<b>Combined Adjustment Factor</b>	<b>1.0100</b>
<b>Exbon Development Inc</b>	General Building CA-R8-GB02-123021	<b>CA-R8-GB02-123021-EXB</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.1000
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.1100
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.1400
				All-Union Wage Projects	1.2800
				Non-Pre-Priced	1.2800
				<b>Combined Adjustment Factor</b>	<b>1.1435</b>
<b>PUB Construction, Inc.</b>	General Building CA-R8-GB03-123021	<b>CA-R8-GB03-123021-PUB</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.1450
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.1465
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.2800
				All-Union Wage Projects	1.2900
				Non-Pre-Priced	1.3000
				<b>Combined Adjustment Factor</b>	<b>1.1955</b>
<b>Harry H. Joh Construction Inc.</b>	General Building CA-R8-GB04-123021	<b>CA-R8-GB04-123021-HJC</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.1500
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2000
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.3000
				All-Union Wage Projects	1.3000
				Non-Pre-Priced	1.2750
				<b>Combined Adjustment Factor</b>	<b>1.2075</b>
		<b>CA-R8-GB05-123021-VCI</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.2000

Sourcewell

Page 15 of 30

<b>Vincor Construction, Inc.</b>	General Building CA-R8-GB05-123021			Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2001
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.4486
				All-Union Wage Projects	1.2000
				Non-Pre-Priced	1.2108
				<b>Combined Adjustment Factor</b>	<b>1.2384</b>
<b>Angeles Contractor, Inc.</b>	General Building CA-R8-GB06-123021	<b>CA-R8-GB06-123021-ACI</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.2432
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2541
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.2973
				All-Union Wage Projects	1.4054
				Non-Pre-Priced	1.2889
<b>Mackone Development Inc</b>	General Building CA-R8-GB07-123021	<b>CA-R8-GB07-123021-MDI</b>	Region 8	<b>Combined Adjustment Factor</b>	<b>1.2737</b>
				Normal Working Hours - Prevailing Wage Rate Projects	1.3000
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.4500
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.5500
				All-Union Wage Projects	1.4500
<b>Good-Men Roofing &amp; Construction Inc.</b>	General Building CA-R8-GB08-123021	<b>CA-R8-GB08-123021-GMR</b>	Region 8	Non-Pre-Priced	1.1500
				<b>Combined Adjustment Factor</b>	<b>1.3600</b>
				Normal Working Hours - Prevailing Wage Rate Projects	1.4650
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.4950
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.4950
<b>No Award</b>	General Building CA-R8-GB09-123021	<b>No Award</b>	Region 8	All-Union Wage Projects	1.4650
				Non-Pre-Priced	1.4650
<b>No Award</b>	General Building CA-R8-GB10-123021	<b>No Award</b>	Region 8	<b>Combined Adjustment Factor</b>	<b>1.4740</b>
				Adjustment Factors	N/A
<b>No Award</b>	General Building CA-R8-GB11-123021	<b>No Award</b>	Region 8	Adjustment Factors	N/A
				Adjustment Factors	N/A
<b>No Award</b>	General Building CA-R8-GB12-123021	<b>No Award</b>	Region 8	Adjustment Factors	N/A
				Adjustment Factors	N/A

<b>MDJ Management, LLC</b>	General Building CA-R8-GB13-123021	<b>CA-R8-GB13-123021-MDJ</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.0250
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.1100
<b>No Award</b>	General Building CA-R8-GB14-123021	<b>No Award</b>	Region 8		
				Adjustment Factors	N/A
<b>No Award</b>	General Building CA-R8-GB15-123021	<b>No Award</b>	Region 8		
				Adjustment Factors	N/A
<b>ABM Industries Inc.</b>	Electrical CA-R8-E01-123021	<b>CA-R8-E01-123021-ABM</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	0.9656
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.0134
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.0616
				All-Union Wage Projects	0.9656
				Non-Pre-Priced	1.1676
				<b>Combined Adjustment Factor</b>	<b>1.0074</b>
<b>Facility Solutions Group</b>	Electrical CA-R8-E02-123021	<b>CA-R8-E02-123021-FSG</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	0.9800
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.0800
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.2300
				All-Union Wage Projects	1.3500
				Non-Pre-Priced	1.2972
				<b>Combined Adjustment Factor</b>	<b>1.1012</b>
<b>Pacific Lighting Mgt Inc</b>	Electrical CA-R8-E03-123021	<b>CA-R8-E03-123021-PLM</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.1900
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2350
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.1990
				All-Union Wage Projects	1.2350
				Non-Pre-Priced	1.1000
				<b>Combined Adjustment Factor</b>	<b>1.1936</b>
<b>Exbon Development Inc</b>	Electrical CA-R8-E04-123021	<b>CA-R8-E04-123021-EXB</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.1800
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.1900
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.2200
				All-Union Wage Projects	1.2800
				Non-Pre-Priced	1.2800
				<b>Combined Adjustment Factor</b>	<b>1.2075</b>
<b>No Bids</b>		<b>No Bids</b>	Region 8		



Sourcewell

Page 17 of 30

	Low Voltage Systems CA-R8-LVS01-123021			Adjustment Factors	N/A
<b>No Bids</b>	Low Voltage Systems CA-R8-LVS02-123021	<b>No Bids</b>	Region 8	Adjustment Factors	N/A
<b>No Bids</b>	Low Voltage Systems CA-R8-LVS03-123021	<b>No Bids</b>	Region 8	Adjustment Factors	N/A
<b>No Bids</b>	Low Voltage Systems CA-R8-LVS04-123021	<b>No Bids</b>	Region 8	Adjustment Factors	N/A
<b>Horizons Construction Company Int'l Inc.</b>	Paving CA-R8-PAV01-123021	<b>CA-R8-PAV01-123021-HCC</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	0.8000
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	0.8000
				Secured/Medical Facilities - Prevailing Wage Rate Projects	0.8000
				All-Union Wage Projects	0.8000
				Non-Pre-Priced	0.8000
				<b>Combined Adjustment Factor</b>	<b>0.8000</b>
<b>Angeles Contractor, Inc.</b>	Paving CA-R8-PAV02-123021	<b>CA-R8-PAV02-123021-ACI</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.2432
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2541
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.2973
				All-Union Wage Projects	1.4054
				Non-Pre-Priced	1.2889
				<b>Combined Adjustment Factor</b>	<b>1.2737</b>
<b>Mackone Development Inc</b>	Paving CA-R8-PAV03-123021	<b>CA-R8-PAV03-123021-MDI</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.3000
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.4500
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.5500
				All-Union Wage Projects	1.4500
				Non-Pre-Priced	1.1500
				<b>Combined Adjustment Factor</b>	<b>1.3600</b>
<b>Bitech Construction Co., Inc.</b>	Paving CA-R8-PAV04-123021	<b>CA-R8-PAV04-123021-BIT</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.2750
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.4000
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.5000
				All-Union Wage Projects	1.3000
				Non-Pre-Priced	1.2500

Sourcewell

Page 18 of 30

				<b>Combined Adjustment Factor</b>	<b>1.3275</b>
<b>PUB Construction, Inc.</b>	Flooring CA-R8-F01-123021	<b>CA-R8-F01-123021-PUB</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.0850
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.0900
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.1000
				All-Union Wage Projects	1.2000
				Non-Pre-Priced	1.2910
				<b>Combined Adjustment Factor</b>	<b>1.1201</b>
<b>California Coast Carpet &amp; Flooring</b>	Flooring CA-R8-F02-123021	<b>CA-R8-F02-123021-CCF</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.1229
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.1639
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.1639
				All-Union Wage Projects	1.1639
				Non-Pre-Priced	1.1229
				<b>Combined Adjustment Factor</b>	<b>1.1393</b>
<b>Angeles Contractor, Inc.</b>	Flooring CA-R8-F03-123021	<b>CA-R8-F03-123021-ACI</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.2432
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2541
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.2973
				All-Union Wage Projects	1.4054
				Non-Pre-Priced	1.2889
				<b>Combined Adjustment Factor</b>	<b>1.2737</b>
<b>No Award</b>	Flooring CA-R8-F04-123021	<b>No Award</b>	Region 8		
				Adjustment Factors	N/A
<b>ABM Industries Inc.</b>	HVAC/Mechanical CA-R8-HVAC01-123021	<b>CA-R8-HVAC01-123021-ABM</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	0.9656
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.0134
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.0616
				All-Union Wage Projects	0.9656
				Non-Pre-Priced	1.1676
				<b>Combined Adjustment Factor</b>	<b>1.0074</b>
<b>ACCO Engineered Systems, Inc</b>	HVAC/Mechanical CA-R8-HVAC02-123021	<b>CA-R8-HVAC02-123021-AES</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.1435
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2911
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.2911
				All-Union Wage Projects	1.1435

Sourcewell

Page 19 of 30

				Non-Pre-Priced	1.1500
				<b>Combined Adjustment Factor</b>	<b>1.1884</b>
<b>Exbon Development Inc</b>	HVAC/Mechanical CA-R8-HVAC03-123021	<b>CA-R8-HVAC03-123021-EXB</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.2200
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2300
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.2800
				All-Union Wage Projects	1.3000
				Non-Pre-Priced	1.2800
				<b>Combined Adjustment Factor</b>	<b>1.2445</b>
<b>Harry H. Joh Construction Inc.</b>	HVAC/Mechanical CA-R8-HVAC04-123021	<b>CA-R8-HVAC04-123021-HJC</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.2500
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.3000
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.4000
				All-Union Wage Projects	1.4000
				Non-Pre-Priced	1.2750
				<b>Combined Adjustment Factor</b>	<b>1.2975</b>
<b>No Bids</b>	Asbestos Abatement CA-R8-AA01-123021	<b>No Bids</b>	Region 8		
				Adjustment Factors	N/A
<b>No Bids</b>	Asbestos Abatement CA-R8-AA02-123021	<b>No Bids</b>	Region 8		
				Adjustment Factors	N/A
<b>No Bids</b>	Asbestos Abatement CA-R8-AA03-123021	<b>No Bids</b>	Region 8		
				Adjustment Factors	N/A
<b>No Bids</b>	Asbestos Abatement CA-R8-AA04-123021	<b>No Bids</b>	Region 8		
				Adjustment Factors	N/A
<b>PUB Construction, Inc.</b>	Painting CA-R8-P01-123021	<b>CA-R8-P01-123021-PUB</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.1300
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.1350
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.1400
				All-Union Wage Projects	1.1420
				Non-Pre-Priced	1.1450
				<b>Combined Adjustment Factor</b>	<b>1.1350</b>
<b>Harry H. Joh Construction Inc.</b>	Painting CA-R8-P02-123021	<b>CA-R8-P02-123021-HJC</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.1300
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.1800
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.2000

Sourcewell

Page 20 of 30

				All-Union Wage Projects	1.2000
				Non-Pre-Priced	1.2750
				<b>Combined Adjustment Factor</b>	<b>1.1695</b>
<b>Angeles Contractor, Inc.</b>	Painting CA-R8-P03-123021	<b>CA-R8-P03-123021-ACI</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.2432
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2541
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.2973
				All-Union Wage Projects	1.4054
				Non-Pre-Priced	1.2889
				<b>Combined Adjustment Factor</b>	<b>1.2737</b>
				Normal Working Hours - Prevailing Wage Rate Projects	1.3000
<b>Mackone Development Inc</b>	Painting CA-R8-P04-123021	<b>CA-R8-P04-123021-MDI</b>	Region 8	Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.4500
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.5500
				All-Union Wage Projects	1.4500
				Non-Pre-Priced	1.1500
				<b>Combined Adjustment Factor</b>	<b>1.3600</b>
<b>ACCO Engineered Systems, Inc</b>	Plumbing CA-R8-PLUM01-123021	<b>CA-R8-PLUM01-123021-AES</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.1994
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2989
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.2989
				All-Union Wage Projects	1.1994
				Non-Pre-Priced	1.1500
<b>Oscalibur Plumbing, Inc.</b>	Plumbing CA-R8-PLUM02-123021	<b>CA-R8-PLUM02-123021-OPI</b>	Region 8	<b>Combined Adjustment Factor</b>	<b>1.2243</b>
				Normal Working Hours - Prevailing Wage Rate Projects	1.2300
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.8500
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.3000
				All-Union Wage Projects	1.3000
<b>No Award</b>	Plumbing CA-R8-PLUM03-123021	<b>No Award</b>	Region 8	Non-Pre-Priced	1.2000
				<b>Combined Adjustment Factor</b>	<b>1.3375</b>
<b>No Award</b>	Plumbing CA-R8-PLUM04-123021	<b>No Award</b>	Region 8		
				Adjustment Factors	N/A
<b>No Award</b>	Plumbing CA-R8-PLUM04-123021	<b>No Award</b>	Region 8		
				Adjustment Factors	N/A

Sourcewell

Page 21 of 30

<b>Angeles Contractor, Inc.</b>	Roofing/Waterproofing CA-R8-RW01-123021	<b>CA-R8-RW01-123021-ACI</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.2432
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2541
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.2973
				All-Union Wage Projects	1.4054
				Non-Pre-Priced	1.2889
				<b>Combined Adjustment Factor</b>	<b>1.2737</b>
<b>Exbon Development Inc</b>	Roofing/Waterproofing CA-R8-RW02-123021	<b>CA-R8-RW02-123021-EXB</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.2800
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2900
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.3800
				All-Union Wage Projects	1.3800
				Non-Pre-Priced	1.2800
				<b>Combined Adjustment Factor</b>	<b>1.3065</b>
<b>Good-Men Roofing &amp; Construction Inc.</b>	Roofing/Waterproofing CA-R8-RW03-123021	<b>CA-R8-RW03-123021-GMR</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.4350
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.4630
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.4630
				All-Union Wage Projects	1.4350
				Non-Pre-Priced	1.4350
				<b>Combined Adjustment Factor</b>	<b>1.4434</b>
<b>No Award</b>	Roofing/Waterproofing CA-R8-RW04-123021	<b>No Award</b>	Region 8		
				Adjustment Factors	N/A
<b>ACCO Engineered Systems, Inc</b>	Sanitation System CA-R8-SS01-123021	<b>CA-R8-SS01-123021-AES</b>	Region 8	Normal Working Hours - Prevailing Wage Rate Projects	1.2950
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.3950
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.2950
				All-Union Wage Projects	1.2950
				Non-Pre-Priced	1.1500
				<b>Combined Adjustment Factor</b>	<b>1.2955</b>
<b>No Award</b>	Sanitation System CA-R8-SS02-123021	<b>No Award</b>	Region 8		
				Adjustment Factors	N/A
<b>No Award</b>	Sanitation System CA-R8-SS03-123021	<b>No Award</b>	Region 8		
				Adjustment Factors	N/A
<b>No Award</b>		<b>No Award</b>	Region 8		

Sourcewell

Page 22 of 30

	Sanitation System CA-R8-SS04-123021			Adjustment Factors	N/A
<b>No Bids</b>	Prefabricated Equipment CA-R8-PFE01-123021	<b>No Bids</b>	Region 8		
				Adjustment Factors	N/A
<b>No Bids</b>	Prefabricated Equipment CA-R8-PFE02-123021	<b>No Bids</b>	Region 8		
				Adjustment Factors	N/A
<b>No Bids</b>	Prefabricated Equipment CA-R8-PFE03-123021	<b>No Bids</b>	Region 8		
				Adjustment Factors	N/A
<b>No Bids</b>	Prefabricated Equipment CA-R8-PFE04-123021	<b>No Bids</b>	Region 8		
				Adjustment Factors	N/A
<b>No Bids</b>	Athletic Surfacing CA-R8-AS01-123021	<b>No Bids</b>	Region 8		
				Adjustment Factors	N/A
<b>No Bids</b>	Athletic Surfacing CA-R8-AS02-123021	<b>No Bids</b>	Region 8		
				Adjustment Factors	N/A
<b>No Award</b>	Geotechnical Stabilization CA-R8-GS01-123021	<b>No Award</b>	Region 8		
				Adjustment Factors	N/A
<b>No Award</b>	Geotechnical Stabilization CA-R8-GS02-123021	<b>No Award</b>	Region 8		
				Adjustment Factors	N/A
<b>Horizons Construction Company Int'l Inc.</b>	General Building CA-R9-GB01-123021	<b>CA-R9-GB01-123021-HCC</b>	Region 9	Normal Working Hours - Prevailing Wage Rate Projects	1.0700
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.0700
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.0700
				All-Union Wage Projects	1.0700
				Non-Pre-Priced	1.0700
				<b>Combined Adjustment Factor</b>	<b>1.0700</b>
<b>PUB Construction, Inc.</b>	General Building CA-R9-GB02-123021	<b>CA-R9-GB02-123021-PUB</b>	Region 9	Normal Working Hours - Prevailing Wage Rate Projects	1.1000
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2000
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.3000
				All-Union Wage Projects	1.3500
				Non-Pre-Priced	1.4150
				<b>Combined Adjustment Factor</b>	<b>1.2015</b>
		<b>CA-R9-GB03-123021-HJC</b>	Region 9	Normal Working Hours - Prevailing Wage Rate Projects	1.1800

Sourcewell

Page 23 of 30

Harry H. Joh Construction Inc.	General Building CA-R9-GB03-123021			Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2100
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.2750
				All-Union Wage Projects	1.2750
				Non-Pre-Priced	1.2750
				<b>Combined Adjustment Factor</b>	<b>1.2178</b>
Pacific Building Group	General Building CA-R9-GB04-123021	CA-R9-GB04-123021-PBG	Region 9	Normal Working Hours - Prevailing Wage Rate Projects	0.9765
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	0.9770
				Secured/Medical Facilities - Prevailing Wage Rate Projects	0.9775
				All-Union Wage Projects	0.9765
				Non-Pre-Priced	1.0350
				<b>Combined Adjustment Factor</b>	<b>0.9826</b>
Vincor Construction, Inc.	General Building CA-R9-GB05-123021	CA-R9-GB05-123021-VCI	Region 9	Normal Working Hours - Prevailing Wage Rate Projects	1.2000
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2001
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.4486
				All-Union Wage Projects	1.2000
				Non-Pre-Priced	1.2108
				<b>Combined Adjustment Factor</b>	<b>1.2384</b>
Good-Men Roofing & Construction Inc.	General Building CA-R9-GB06-123021	CA-R9-GB06-123021-GMR	Region 9	Normal Working Hours - Prevailing Wage Rate Projects	1.4650
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.4950
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.4950
				All-Union Wage Projects	1.4650
				Non-Pre-Priced	1.4650
				<b>Combined Adjustment Factor</b>	<b>1.4740</b>
No Award	General Building CA-R9-GB07-123021	No Award	Region 9		
				Adjustment Factors	N/A
All Source Coatings Inc.	General Building CA-R9-GB08-123021	CA-R9-GB08-123021-ASC	Region 9	Normal Working Hours - Prevailing Wage Rate Projects	0.9792
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.0425
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.0001
				All-Union Wage Projects	1.0002
				Non-Pre-Priced	1.2001
				<b>Combined Adjustment Factor</b>	<b>1.0160</b>

Sourcewell

Page 24 of 30

ABM Industries Inc.	Electrical CA-R9-E01-123021	CA-R9-E01-123021-ABM	Region 9	Normal Working Hours - Prevailing Wage Rate Projects	0.9656
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.0134
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.0616
				All-Union Wage Projects	0.9656
				Non-Pre-Priced	1.1676
				<b>Combined Adjustment Factor</b>	<b>1.0074</b>
Pacific Lighting Mgt Inc	Electrical CA-R9-E02-123021	CA-R9-E02-123021-PLM	Region 9	Normal Working Hours - Prevailing Wage Rate Projects	1.2280
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2370
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.2370
				All-Union Wage Projects	1.2370
				Non-Pre-Priced	1.1200
				<b>Combined Adjustment Factor</b>	<b>1.2244</b>
Horizons Construction Company Int'l Inc.	Paving CA-R9-PAV01-123021	CA-R9-PAV01-123021-HCC	Region 9	Normal Working Hours - Prevailing Wage Rate Projects	0.8400
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	0.8400
				Secured/Medical Facilities - Prevailing Wage Rate Projects	0.8400
				All-Union Wage Projects	0.8400
				Non-Pre-Priced	0.8400
				<b>Combined Adjustment Factor</b>	<b>0.8400</b>
No Award	Paving CA-R9-PAV02-123021	No Award	Region 9		
				Adjustment Factors	N/A
ABM Industries Inc.	HVAC/Mechanical CA-R9-HVAC01-123021	CA-R9-HVAC01-123021-ABM	Region 9	Normal Working Hours - Prevailing Wage Rate Projects	0.9601
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.0001
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.0363
				All-Union Wage Projects	1.1051
				Non-Pre-Priced	1.2301
				<b>Combined Adjustment Factor</b>	<b>1.0190</b>
ACCO Engineered Systems, Inc	HVAC/Mechanical CA-R9-HVAC02-123021	CA-R9-HVAC02-123021-AES	Region 9	Normal Working Hours - Prevailing Wage Rate Projects	1.2000
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.3500
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.3500
				All-Union Wage Projects	1.3500
				Non-Pre-Priced	1.1500



Sourcewell

Page 25 of 30

				<b>Combined Adjustment Factor</b>	<b>1.2550</b>
<b>Harry H. Joh Construction Inc.</b>	HVAC/Mechanical CA-R9-HVAC03-123021	<b>CA-R9-HVAC03-123021-HJC</b>	Region 9	Normal Working Hours - Prevailing Wage Rate Projects	1.2500
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.3000
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.4000
				All-Union Wage Projects	1.4000
				Non-Pre-Priced	1.2750
				<b>Combined Adjustment Factor</b>	<b>1.2975</b>
<b>Mesa Energy Systems, Inc. dba EMCOR Services</b>	HVAC/Mechanical CA-R9-HVAC04-123021	<b>CA-R9-HVAC04-123021-ES</b>	Region 9	Normal Working Hours - Prevailing Wage Rate Projects	1.4250
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.8528
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.5620
				All-Union Wage Projects	1.4250
				Non-Pre-Priced	1.1970
				<b>Combined Adjustment Factor</b>	<b>1.4869</b>
<b>No Bids</b>	Landscaping CA-R9-L01-123021	<b>No Bids</b>	Region 9		
<b>No Bids</b>	Landscaping CA-R9-L02-123021	<b>No Bids</b>	Region 9	Adjustment Factors	N/A
<b>ACCO Engineered Systems, Inc</b>	Plumbing CA-R9-PLUM01-123021	<b>CA-R9-PLUM01-123021-AES</b>	Region 9	Normal Working Hours - Prevailing Wage Rate Projects	1.2000
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.3500
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.3500
				All-Union Wage Projects	1.3500
				Non-Pre-Priced	1.1500
				<b>Combined Adjustment Factor</b>	<b>1.2550</b>
<b>No Award</b>	Plumbing CA-R9-PLUM02-123021	<b>No Award</b>	Region 9		
<b>No Award</b>	Plumbing CA-R9-PLUM03-123021	<b>No Award</b>	Region 9	Adjustment Factors	N/A
<b>No Award</b>	Plumbing CA-R9-PLUM04-123021	<b>No Award</b>	Region 9	Adjustment Factors	N/A
<b>Good-Men Roofing &amp; Construction Inc.</b>	Roofing/Waterproofing CA-R9-RW01-123021	<b>CA-R9-RW01-123021-GMR</b>	Region 9	Normal Working Hours - Prevailing Wage Rate Projects	1.4350
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.4630

Sourcewell

Page 26 of 30

				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.4630
				All-Union Wage Projects	1.4350
				Non-Pre-Priced	1.4350
				<b>Combined Adjustment Factor</b>	<b>1.4434</b>
<b>No Award</b>	Roofing/Waterproofing CA-R9-RW02-123021	<b>No Award</b>	Region 9		
				Adjustment Factors	N/A
<b>No Award</b>	Roofing/Waterproofing CA-R9-RW03-123021	<b>No Award</b>	Region 9		
				Adjustment Factors	N/A
<b>No Award</b>	Roofing/Waterproofing CA-R9-RW04-123021	<b>No Award</b>	Region 9		
				Adjustment Factors	N/A
<b>GeoStabilization International, LLC</b>	Geotechnical Stabilization CA-R9-GS01-123021	<b>CA-R9-GS01-123021-GSI</b>	Region 9	Normal Working Hours - Prevailing Wage Rate Projects	1.2200
				Other Than Normal Working Hours - Prevailing Wage Rate Projects	1.2200
				Secured/Medical Facilities - Prevailing Wage Rate Projects	1.2200
				All-Union Wage Projects	1.3000
				Non-Pre-Priced	1.3000
				<b>Combined Adjustment Factor</b>	<b>1.2360</b>
<b>No Award</b>	Geotechnical Stabilization CA-R9-GS02-123021	<b>No Award</b>	Region 9		
				Adjustment Factors	N/A
<b>No Award</b>	General Building CA-R10-GB01-123021	<b>No Award</b>	Region 10		
				Adjustment Factors	N/A
<b>No Award</b>	General Building CA-R10-GB02-123021	<b>No Award</b>	Region 10		
				Adjustment Factors	N/A
<b>No Award</b>	Electrical CA-R10-E01-123021	<b>No Award</b>	Region 10		
				Adjustment Factors	N/A
<b>No Award</b>	Electrical CA-R10-E02-123021	<b>No Award</b>	Region 10		
				Adjustment Factors	N/A
<b>No Bids</b>	Paving CA-R10-PAV01-123021	<b>No Bids</b>	Region 10		
				Adjustment Factors	N/A
<b>No Bids</b>	Paving CA-R10-PAV02-123021	<b>No Bids</b>	Region 10		
				Adjustment Factors	N/A
<b>No Award</b>		<b>No Award</b>	Region 10		

	HVAC/Mechanical CA-R10-HVAC01-123021			Adjustment Factors	N/A
No Award	HVAC/Mechanical CA-R10-HVAC02-123021	No Award	Region 10		
				Adjustment Factors	N/A

\*\* A complete Abstract of Bids, setting forth all bids received (as applicable), is available on request to Sourcewell.

\*\*\* The remainder of this page has been intentionally left blank\*\*\*

**Findings of the Bid Evaluation Committee**

Bid submissions were reviewed thoroughly according to the IFB Specifications with awards going to the lowest responsive/responsible bidders. The bid submitted by Grondin Construction, Inc. was determined to be non-responsive in accordance with IFB Section VIII. Evaluation and Award, Part B. Awards. *Other Than Normal Working Hours Adjustment Factors*. The selected contractors identified in the results above have the required experience with IDIQ Contracting work, and all the awarded bids were determined to be competitive and reasonable for the area.

DocuSigned by:



6830543C58384D1...

---

Kim Austin, MBA, CPPB, Procurement Lead Analyst, Sourcewell

DocuSigned by:




7BCA93CD6377421...

---

Brandon Town, CPSM, CPSD, Procurement Analyst, Sourcewell

DocuSigned by:



0B0204E40D3E445...

---

Michael Muñoz, CPPB, Procurement Analyst, Sourcewell

**Attachment 1**  
**Geographic Map of Sourcwell Contract Areas**



Del Norte Mendocino Colusa	<b>Region 1</b> Humboldt Glenn	Trinity Lake
Siskiyou Lassen Butte	<b>Region 2</b> Modoc Tehama Sierra	Shasta Plumas
Sutter Placer Amador	<b>Region 3</b> Yuba El Dorado Alpine	Nevada Sacramento
Sonoma Marin	<b>Region 4</b> Napa Solano	Yolo Contra Costa
San Joaquin Madera Tulare	<b>Region 5</b> Stanislaus Fresno	Merced Kings
Alameda Santa Clara Monterey	<b>Region 6</b> San Francisco Santa Cruz	San Mateo San Benito
San Luis Obispo Ventura	<b>Region 7</b> Kern	Santa Barbara
Los Angeles Riverside	<b>Region 8</b> San Bernardino	Orange
San Diego	<b>Region 9</b> Imperial	
Calavera Mono	<b>Region 10</b> Tuolumne Inyo	Mariposa